

## Gate Valve

Size: 1 13/16" – 7"

Pressure: 2000psi – 20000psi

Implementation Standards: API 6A



## FC Gate Valve


| Size (in):                    | Pressure (psi)       |      |      |       |       |
|-------------------------------|----------------------|------|------|-------|-------|
|                               | 2000                 | 3000 | 5000 | 10000 | 15000 |
| 1 13/16"                      | /                    | /    | /    | •     | •     |
| 2 1/16"                       | •                    | •    | •    | •     | •     |
| 2 9/16"                       | •                    | •    | •    | •     | •     |
| 3 1/16"                       | /                    | /    | /    | •     | •     |
| 3 1/8"                        | •                    | •    | •    | /     | /     |
| 4 1/16"                       | •                    | •    | •    | •     | •     |
| 5 1/8"                        | •                    | •    | •    | •     | /     |
| 7 1/16"                       | •                    | •    | •    | /     | /     |
| Material Class:               | AA BB CC DD EE FF HH |      |      |       |       |
| Product Specification Level : | PSL1 PSL2 PSL3       |      |      |       |       |
| Performance Requirement:      | PR1                  |      |      |       |       |
| Temperature Class:            | L P R S T U V X      |      |      |       |       |



# WKM Expansion Valve



| Size (in):                    | Pressure (psi)       |      |      |       |       |
|-------------------------------|----------------------|------|------|-------|-------|
|                               | 2000                 | 3000 | 5000 | 10000 | 15000 |
| 1 13/16"                      | /                    | /    | /    | /     | /     |
| 2 1/16"                       | •                    | •    | •    | /     | /     |
| 2 9/16"                       | •                    | •    | •    | /     | /     |
| 3 1/8"                        | •                    | •    | •    | /     | /     |
| 4 1/16"                       | •                    | •    | •    | /     | /     |
| 5 1/8"                        | •                    | •    | •    | /     | /     |
| 7 1/16"                       | •                    | •    | •    | /     | /     |
| Material Class:               | AA BB CC DD EE FF HH |      |      |       |       |
| Product Specification Level : | PSL1 PSL2 PSL3       |      |      |       |       |
| Performance Requirement:      | PR1                  |      |      |       |       |
| Temperature Class:            | L P R S T U V X      |      |      |       |       |



FR Ball Screw Gate Valve



| Size (in):                    | Pressure (psi)       |      |      |       |       |
|-------------------------------|----------------------|------|------|-------|-------|
|                               | 2000                 | 3000 | 5000 | 10000 | 15000 |
| 3 1/16"                       | /                    | /    | /    | /     | •     |
| 4 1/16"                       | /                    | /    | /    | •     | •     |
| 5 1/8"                        | /                    | /    | •    | •     | /     |
| 7 1/16"                       | /                    | /    | •    | •     | /     |
| Material Class:               | AA BB CC DD EE FF HH |      |      |       |       |
| Product Specification Level : | PSL1 PSL2 PSL3       |      |      |       |       |
| Performance Requirement:      | PR1                  |      |      |       |       |
| Temperature Class:            | L P R S T U V X      |      |      |       |       |

